

PUBBLICAZIONI SCIENTIFICHE DEI GRUPPI DI STUDIO DELLA SIEDP

PERIODO 2013-2018

MALATTIE DELLA TIROIDE

1. Radetti G, Longhi S, Sartorio A, Grugni G. Letter to the Editor: "Association of TSH With Cardiovascular Disease Risk in Overweight and Obese Children During Lifestyle Intervention". *J Clin Endocrinol Metab.* 2017 Dec; 102(12):4658-4659.
2. Radetti G, Grugni G, Lupi F, Marazzi N, Longhi S, Fanolla A, Sartorio A. The relationship between hyperthyrotropinemia and metabolic and cardiovascular risk factors in a large group of overweight and obese children and adolescents. *J Endocrinol Invest.* 2017 Dec;40(12):1311-1319.
3. Radetti G, Salerno M, Guzzetti C, Cappa M, Corrias A, Cassio A, Cesaretti G, Gastaldi R, Rotondi M, Lupi F, Fanolla A, Weber G, Loche S. Thyroid function in children and adolescents with Hashimoto's thyroiditis after l-thyroxine discontinuation. *Endocr Connect.* 2017 May;6(4):206-212.
4. Salerno M, Capalbo D, Cerbone M, De Luca F. Subclinical hypothyroidism in childhood - current knowledge and open issues. *Nat Rev Endocrinol.* 2016 Dec;12(12):734-746.
5. Aversa T, Corrias A, Salerno M, Tessaris D, Di Mase R, Valenzise M, Corica D, De Luca F, Wasniewska M. Five-Year Prospective Evaluation of Thyroid Function Test Evolution in Children with Hashimoto's Thyroiditis Presenting with Either Euthyroidism or Subclinical Hypothyroidism. *Thyroid.* 2016 Oct;26(10):1450-1456.
6. Aversa T, Valenzise M, Corrias A, Salerno M, Iughetti L, Tessaris D, Capalbo D, Predieri B, De Luca F, Wasniewska M. In children with autoimmune thyroid diseases the association with Down syndrome can modify the clustering of extra-thyroidal autoimmune disorders. *J Pediatr Endocrinol Metab.* 2016 Sep 1;29(9):1041-6.
7. Cerbone M, Capalbo D, Wasniewska M, Alfano S, Mattace Raso G, Oliviero U, Cittadini A, De Luca F, Salerno M. Effects of L-thyroxine treatment on early markers of atherosclerotic disease in children with subclinical hypothyroidism. *Eur J Endocrinol.* 2016 Jul;175(1):11-9.
8. Wasniewska M, Salerno M, Corrias A, Mazzanti L, Matarazzo P, Corica D, Aversa T, Messina MF, De Luca F, Valenzise M. The Evolution of Thyroid Function after Presenting with Hashimoto Thyroiditis Is Different between Initially Euthyroid Girls with and Those without Turner Syndrome. *Horm Res Paediatr.* 2016;86(6):403-409.
9. de Filippis T, Marelli F, Nebbia G, Porazzi P, Corbetta S, Fugazzola L, Gastaldi R, Vigone MC, Biffanti R, Frizziero D, Mandarà L, Prontera P, Salerno M, Maghnie M, Tiso N, Radetti G, Weber G, Persani L. JAG1 Loss-Of-Function Variations as a Novel Predisposing Event in the Pathogenesis of Congenital Thyroid Defects. *J Clin Endocrinol Metab.* 2016 Mar;101(3):861-70.
10. Delvecchio M, Salerno M, Vigone MC, Wasniewska M, Popolo PP, Lapolla R, Mussa A, Tronconi GM, D'Acunzo I, Di Mase R, Falcone RM, Corrias A, De Luca F, Weber G, Cavallo L, Faienza MF. Levothyroxine requirement in congenital hypothyroidism: a 12-year longitudinal study. *Endocrine.* 2015 Dec;50(3):674-80.

11. Wasniewska M, Aversa T, Salerno M, Corrias A, Messina MF, Mussa A, Capalbo D, De Luca F, Valenzise M. Five-year prospective evaluation of thyroid function in girls with subclinical mild hypothyroidism of different etiology. *Eur J Endocrinol*. 2015 Dec;173(6):801-8.
12. Aversa T, Messina MF, Mazzanti L, Salerno M, Mussa A, Faienza MF, Scarano E, De Luca F, Wasniewska M. The association with Turner syndrome significantly affects the course of Hashimoto's thyroiditis in children, irrespective of karyotype. *Endocrine*. 2015 Dec;50(3):777-82.
13. Aversa T, Valenzise M, Salerno M, Corrias A, Iughetti L, Radetti G, De Luca F, Wasniewska M. Metamorphic thyroid autoimmunity in Down Syndrome: from Hashimoto's thyroiditis to Graves' disease and beyond. *Ital J Pediatr*. 2015 Nov 11;41:87.
14. Delvecchio M, Vigone MC, Wasniewska M, Weber G, Lapolla R, Popolo PP, Tronconi GM, Di Mase R, De Luca F, Cavallo L, Salerno M, Faienza MF. Final height in Italian patients with congenital hypothyroidism detected by neonatal screening: a 20-year observational study. *Ital J Pediatr*. 2015 Oct 28;41:82.
15. Aversa T, Salerno M, Radetti G, Faienza MF, Iughetti L, Corrias A, Predieri B, Mussa A, Mirabelli S, De Luca F, Wasniewska M. Peculiarities of presentation and evolution over time of Hashimoto's thyroiditis in children and adolescents with Down's syndrome. *Hormones (Athens)*. 2015 Jul-Sep;14(3):410-6.
16. Aversa T, Valenzise M, Corrias A, Salerno M, De Luca F, Mussa A, Rezzuto M, Lombardo F, Wasniewska M. Underlying Hashimoto's thyroiditis negatively affects the evolution of subclinical hypothyroidism in children irrespective of other concomitant risk factors. *Thyroid*. 2015 Feb;25(2):183-7.
17. Cerbone M, Capalbo D, Wasniewska M, Mattace Raso G, Alfano S, Meli R, De Luca F, Salerno M. Cardiovascular risk factors in children with long-standing untreated idiopathic subclinical hypothyroidism. *J Clin Endocrinol Metab*. 2014 Aug;99(8):2697-703.
18. Gastaldi R, Poggi E, Mussa A, Weber G, Vigone MC, Salerno M, Delvecchio M, Peroni E, Pistorio A, Corrias A. Graves' disease in children: thyroid-stimulating hormone receptor antibodies as remission markers. *J Pediatr*. 2014 May;164(5):1189-1194.e1.
19. Valenzise M, Aversa T, Corrias A, Mazzanti L, Cappa M, Ubertini G, Scarano E, Mussa A, Messina MF, De Luca F, Wasniewska M. Epidemiology, presentation and long-term evolution of Graves' disease in children, adolescents and young adults with Turner syndrome. *Horm Res Paediatr*. 2014;81(4):245-50.
20. Aversa T, Lombardo F, Corrias A, Salerno M, De Luca F, Wasniewska M. In young patients with Turner or Down syndrome, Graves' disease presentation is often preceded by Hashimoto's thyroiditis. *Thyroid*. 2014 Apr;24(4):744-7.
21. Aversa T, Valenzise M, Corrias A, Salerno M, Mussa A, Capalbo D, Salzano G, De Luca F, Wasniewska M. Subclinical hyperthyroidism when presenting as initial manifestation of juvenile Hashimoto's thyroiditis: first report on its natural history. *J Endocrinol Invest*. 2014 Mar;37(3):303-8.

22. Iughetti L, Predieri B, Bruzzi P, Predieri F, Vellani G, Madeo SF, Garavelli L, Biagioni O, Bedogni G, Bozzola M. Ten-year longitudinal study of thyroid function in children with Down's syndrome. *Horm Res Paediatr.* 2014;82(2):113-21.
23. Mussa A, Salerno MC, Bona G, Wasniewska M, Segni M, Cassio A, Vigone MC, Gastaldi R, Iughetti L, Santanera A, Capalbo D, Matarazzo P, De Luca F, Weber G, Corrias A. Serum thyrotropin concentration in children with isolated thyroid nodules. *J Pediatr.* 2013 Nov;163(5):1465-70.
24. Agretti P, Segni M, De Marco G, Ferrarini E, Di Cosmo C, Corrias A, Weber G, Larizza D, Calcaterra V, Pelizzo MR, Cesaretti G, Vitti P, Tonacchera M. Prevalence of activating thyrotropin receptor and Gs α gene mutations in paediatric thyroid toxic adenomas: a multicentric Italian study. *Clin Endocrinol (Oxf).* 2013 Nov;79(5):747-9.

FISIOPATOLOGIA DEI PROCESSI DI ACCRESCIMENTO E DELLA PUBERTÀ

1. Bizzarri C, Lonero A, Delvecchio M, Cavallo L, Faienza MF, Giordano M, Dello Strologo L, Cappa M. Growth hormone treatment improves final height and nutritional status of children with chronic kidney disease and growth deceleration. *J Endocrinol Invest.* 2018 Mar;41(3):325-331
2. Grandone A, Cirillo G, Sasso M, Capristo C, Tornese G, Marzuillo P, Luongo C, Rosaria Umato G, Festa A, Coppola R, Miraglia Del Giudice E, Perrone L. MKRN3 levels in girls with central precocious puberty and correlation with sexual hormone levels: a pilot study. *Endocrine.* 2018 Jan;59(1):203-208.
3. Bizzarri C, Improda N, Maggioli C, Capalbo D, Roma S, Porzio O, Salerno M, Cappa M. HYDROCORTISONE THERAPY AND GROWTH TRAJECTORY IN CHILDREN WITH CLASSICAL CONGENITAL ADRENAL HYPERPLASIA. *Endocr Pract.* 2017 May;23(5):546-556.
4. Bruzzi P, Messina MF, Bartoli A, Predieri B, Lucaccioni L, Madeo SF, Verrotti A, De Luca F, Iughetti L. Central Precocious Puberty and Response to GnRH α Therapy in Children with Cerebral Palsy and Moderate to Severe Motor Impairment: Data from a Longitudinal, Case-Control, Multicentre, Italian Study. *Int J Endocrinol.* 2017;2017:4807163.
5. Faienza MF, Brunetti G, Acquafredda A, Delvecchio M, Lonero A, Gaeta A, Suavo Bulzis P, Corica D, Velletri MR, De Luca F, Cavallo L, Wasniewska M. Metabolic Outcomes, Bone Health, and Risk of Polycystic Ovary Syndrome in Girls with Idiopathic Central Precocious Puberty Treated with Gonadotropin-Releasing Hormone Analogues. *Horm Res Paediatr.* 2017;87(3):162-169.
6. Zucchini S, Iafusco D, Vannelli S, Rabbone I, Salzano G, Pozzobon G, Maghnie M, Cherubini V, Bizzarri C, Bonfanti R, D'Annunzio G, Lenzi L, Maggio MC, Marigliano M, Scaramuzza A, Tumini S, Iughetti L. Combined therapy with insulin and growth hormone in 17 patients with type-1 diabetes and growth disorders. *Horm Res Paediatr.* 2014;82(1):53-8.

INTERFERENTI ENDOCRINI

1. Street ME, Angelini S, Bernasconi S, Burgio E, Cassio A, Catellani C, Cirillo F, Deodati A, Fabbrizi E, Fanos V, Gargano G, Grossi E, Iughetti L, Lazzeroni P, Mantovani A, Migliore L, Palanza P, Panzica G, Papini AM, Parmigiani S, Predieri B, Sartori C, Tridenti G, Amarri S. Current Knowledge on Endocrine Disrupting Chemicals (EDCs) from Animal Biology to Humans, from Pregnancy to Adulthood: Highlights from a National Italian Meeting. *Int J Mol Sci.* 2018 Jun 2;19(6). pii: E1647. doi: 10.3390/ijms19061647.

OBESITA' INFANTILE

1. Valerio G, Maffei C, Balsamo A, Del Giudice EM, Brufani C, Grugni G, Licenziati MR, Brambilla P, Manco M; on the behalf of the Childhood Obesity Group of the Italian Society of Pediatric Endocrinology and Diabetology. Severe Obesity and Cardiometabolic Risk in Children: Comparison from Two International Classification Systems. *PLoS One*. 2013 Dec 27;8(12):e83793.
2. Di Bonito P, Licenziati MR, Baroni MG, Congiu T, Incani M, Iannuzzi A, Maffei C, Perrone L, Valerio G, Miraglia Del Giudice E. High normal post-load plasma glucose, cardiometabolic risk factors and signs of organ damage in obese children. *Obesity (Silver Spring)*. 2014 Aug;22(8):1860-4
3. Valerio G, Licenziati MR, Manco M, Ambruzzi AM, Bacchini D, Baraldi E, Bona G, Bruzzi P, Cerutti F, Corciulo N, Crinò A, Franzese A, Grugni G, Iughetti L, Lenta S, Maffei C, Marzuillo P, Miraglia Del Giudice E, Morandi A, Morino G, Moro B, Perrone L, Prodam F, Ricotti R, Santamaria F, Zito E, Tanas R. [Health consequences of obesity in children and adolescents.] *Minerva Pediatr*. 2014 Oct;66(5):381-414.
4. Di Bonito P, Licenziati MR, Baroni MG, Congiu T, Incani M, Iannuzzi A, Maffei C, Perrone L, Valerio G, Del Giudice EM. High normal post-load plasma glucose, cardiometabolic risk factors and signs of organ damage in obese children. *Obesity (Silver Spring)*. 2014 Aug;22(8):1860-4. doi: 10.1002/oby.20787. Epub 2014 May 14.
5. Di Bonito P, Valerio G, Grugni G, Licenziati MR, Maffei C, Manco M, Miraglia Del Giudice E, Pacifico L, Pellegrin MC, Tomat M, Baroni MG; "CARdiometabolic risk factors in overweight and obese children in ITALY" (CARITALY) Study Group. Comparison of non-HDL-cholesterol versus triglycerides-to-HDL-cholesterol ratio in relation to cardiometabolic risk factors and preclinical organ damage in overweight/obese children: The CARITALY study. *Nutr Metab Cardiovasc Dis*. 2015 May;25(5):489-94. doi: 10.1016/j.numecd.2015.01.012. Epub 2015 Feb 7.
6. Bacchini D, Licenziati MR, Garrasi A, Corciulo N, Driul D, Tanas R, Fiumani PM, Di Pietro E, Pesce S, Crinò A, Maltoni G, Iughetti L, Sartorio A, Deiana M, Lombardi F, Valerio G. Bullying and Victimization in Overweight and Obese Outpatient Children and Adolescents: An Italian Multicentric Study. *PLoS One*. 2015 Nov 25;10(11):e0142715. doi: 10.1371/journal.pone.0142715. eCollection 2015.
7. Manco M, Grugni G, Di Pietro M, Balsamo A, Di Candia S, Morino GS, Franzese A, Di Bonito P, Maffei C, Valerio G. Triglycerides-to-HDL cholesterol ratio as screening tool for impaired glucose tolerance in obese children and adolescents. *Acta Diabetol*. 2016 Jun;53(3):493-8.
8. Di Bonito P, Pacifico L, Chiesa C, Valerio G, Miraglia Del Giudice E, Maffei C, Morandi A, Invitti C, Licenziati MR, Loche S, Tornese G, Franco F, Manco M, Baroni MG; "CARdiometabolic risk factors in overweight and obese children in ITALY" (CARITALY) Study Group. Impaired fasting glucose and impaired glucose tolerance in children and adolescents with overweight/obesity. *J Endocrinol Invest*. 2017 Apr;40(4):409-416
9. Grugni G, Licenziati MR, Valerio G, Crinò A, Maffei C, Tanas R, Morino GS; Childhood Obesity Study Group of the Italian Society for Pediatric Endocrinology and Diabetology

- (ISPED). The rehabilitation of children and adolescents with severe or medically complicated obesity: an ISPED expert opinion document. *Eat Weight Disord.* 2017 Mar;22(1):3-12
10. Di Bonito P, Pacifico L, Chiesa C, Invitti C, Miraglia Del Giudice E, Baroni MG, Moio N, Pellegrin MC, Tomat M, Licenziati MR, Manco M, Maffeis C, Valerio G; "CARdiometabolic risk factors in overweight and obese children in ITALY" (CARITALY) Study Group. White blood cell count may identify abnormal cardiometabolic phenotype and preclinical organ damage in overweight/obese children. *Nutr Metab Cardiovasc Dis.* 2016 Jun;26(6):502-9
 11. Bacchini D, Licenziati MR, Affuso G, Garrasi A, Corciulo N, Driul D, Tanas R, Fiumani PM, Di Pietro E, Pesce S, Crinò A, Maltoni G, Iughetti L, Sartorio A, Deiana M, Lombardi F, Valerio G. The Interplay among BMI z-Score, Peer Victimization, and Self-Concept in Outpatient Children and Adolescents with Overweight or Obesity. *Child Obes.* 2017 13(3):242-249.
 12. Valerio G, Balsamo A, Baroni MG, Brufani C, Forziato C, Grugni G, Licenziati MR, Maffeis C, Miraglia Del Giudice E, Morandi A, Pacifico L, Sartorio A, Manco M; on the behalf of the Childhood Obesity Group of the Italian Society of Pediatric Endocrinology and Diabetology. Childhood obesity classification systems and cardiometabolic risk factors: a comparison of the Italian, World Health Organization and International Obesity Task Force references. *Ital J Pediatr.* 2017 Feb 4;43(1):19.
 13. Di Bonito P, Valerio G, Pacifico L, Chiesa C, Invitti C, Morandi A, Maffeis C, Licenziati MR, Manco M, Miraglia Del Giudice E, Baroni MG, Loche S, Tornese G, Tomat M, de Simone G; CARITALY Study Group. A new index to simplify the screening of hypertension in overweight or obese youth. *Nutr Metab Cardiovasc Dis.* 2017 Sep;27(9):830-835. doi: 10.1016/j.numecd.2017.06.013. Epub 2017 Jun 30.

OBESITÀ GENETICHE

1. Grugni G, Crinò A, Bedogni G, Cappa M, Sartorio A, Corrias A, Di Candia S, Gargantini L, Iughetti L, Pagano C, Ragusa L, Salvatoni A, Spera S, Vettor R, Chiumello G, Brambilla P. Metabolic syndrome in adult patients with Prader-Willi syndrome. *Nutr Metab Cardiovasc Dis.* 2013; 23(11):1134-40..
2. Grugni G, Beccaria L, Corrias A, Crinò A, Cappa M, De Medici C, Di Candia S, Gargantini L, Ragusa L, Salvatoni A, Sartorio A, Spera S, Andrulli S, Chiumello G, Mussa A; Genetic Obesity Study Group of the Italian Society of Pediatric Endocrinology and Diabetology (ISPED). Central adrenal insufficiency in young adults with Prader-Willi syndrome. *Clin Endocrinol.* 2013; 79(3):371-8.
3. Fintini D, Grugni G, Brufani C, Bocchini S, Cappa M, Crinò A. Use of GLP-1 receptor agonists in Prader-Willi Syndrome: report of six cases. *Diabetes Care.* 2014; 37(4):e76-7..
4. Di Giorgio G, Grugni G, Fintini D, Bocchini S, Spera S, Cuttini M, Cappa M, Crinò A. Growth hormone response to standard provocative stimuli and combined tests in very young children with Prader-Willi syndrome. *Horm Res Paediatr.* 2014;81(3):189-95.
5. Marostica E, Grugni G, De Nicolao G, Marazzi N, Crinò A, Cappa M, Sartorio A. The GHRH + arginine stimulated pituitary GH secretion in children and adults with Prader-Willi syndrome shows age- and BMI-dependent and genotype-related differences. *Growth Horm IGF Res.* 2013; 23(6):261-6.
6. Berini J, Spica Russotto V, Castelnuovo P, Di Candia S, Gargantini L, Grugni G, Iughetti L, Nespoli L, Nosetti L, Padoan G, Pilotta A, Trifirò G, Chiumello G, Salvatoni A; Genetic Obesity Study Group of the Italian Society of Pediatric Endocrinology and Diabetology (ISPED). Growth hormone therapy and respiratory disorders: long-term follow-up in PWS children. *J Clin Endocrinol Metab.* 2013; 98(9):E1516-23.
7. Longhi S, Grugni G, Gatti D, Spinozzi E, Sartorio A, Adami S, Fanolla A, Radetti G. Adults with Prader-Willi syndrome have weaker bones: effect of treatment with GH and sex steroids. *Calcif Tissue Int.* 2015; 96(2):160-166.
8. 10. Fintini D, Inzaghi E, Colajacomo M, Bocchini S, Grugni G, Brufani C, Cappa M, Nobili V, Cianfarani S, Crinò A. Non-Alcoholic Fatty Liver Disease (NAFLD) in children and adolescents with Prader-Willi Syndrome (PWS). *Pediatr Obes.* 2016; 11(3):235-238.
9. Grugni G, Sartorio A, Crinò A. Growth hormone therapy for Prader-Willi syndrome: challenges and solutions. *Ther Clin Risk Manag* 2016; 12:873-881.
10. Fintini D, Grugni G, Bocchini S, Brufani C, Di Candia S, Corrias A, Delvecchio M, Salvatoni A, Ragusa L, Greggio N, Franzese A, Scarano E, Trifirò G, Mazzanti L, Chiumello G, Cappa M, Crinò A. Genetic Obesity Study Group of the Italian Society of Pediatric Endocrinology and Diabetology (ISPED) Disorders of glucose metabolism in Prader-Willi syndrome: Results of a multicenter Italian cohort study. *Nutr Metab Cardiovasc Dis* 2016; 26(9):842-7.

11. Crinò A, Fintini D, Bocchini S, Carducci C, Grugni G. Prader–Willi syndrome: clinical problems in transition from pediatric to adult care. *Res Rep Endocr Dis*. 2016;6:49–57.
12. Bocchini S, Fintini D, Grugni G, Boiani A, Convertino A, Crinò A. Congenital hypothyroidism due to ectopic sublingual thyroid gland in Prader-Willi Syndrome: a case report. *Ital J Pediatr*. 2017; 22;43(1):87..
13. Fintini D, Pedicelli S, Bocchini S, Bizzarri C, Grugni G, Cappa M, Crinò A. 25OH vitamin D levels in pediatric patients affected by Prader-Willi syndrome. *J Endocrinol Invest*. 2018; 41(6): 739-742.
14. Brunetti G, Grugni G, Piacente L, Delvecchio M, Ventura A, Giordano P, Grano M, D’Amato G, Laforgia D, Crinò A, Faienza MF. Analysis of Circulating Mediators of Bone Remodeling in Prader-Willi Syndrome. *Calcif Tissue Int*. 2018; 102(6):635-643.
15. Allas S, Caixàs A, Poitou C, Coupaye M, Thuilleaux D, Lorenzini F, Diene G, Crinò A, Illouz F, Grugni G, Potvin D, Bocchini S, Delale T, Abribat T, Tauber M. AZP-531, an unacylated ghrelin analog, improves food-related behavior in patients with Prader-Willi syndrome: A randomized placebo-controlled trial. *PloS One*. 2018; 3(1):e0190849.
16. Rigamonti AE, Crinò A, Bocchini S, Convertino A, Bidlingmaier M, Haenelt M, Tamini S, Cella SG, Grugni G, Sartorio A. GHRH plus arginine and arginine administration evokes the same ratio of GH isoforms levels in young patients with Prader-Willi syndrome. *Growth Horm IGF Res*. 2018; 39:13-18.

DIABETE

1. Rabbone I, Minuto N, Toni S, Lombardo F, Iafusco D, Marigliano M, Schiaffini R, Maltoni G, Frongia AP, Scardapane M, Nicolucci A, Cherubini V, Bonfanti R, Scaramuzza AE. Insulin pump breakdown and infusion set failure in Italian children with type 1 diabetes: 1-year prospective observational study with suggestions to minimize clinical impact; Diabetes Study Group of the Italian Society of Pediatric Endocrinology and Diabetology (ISPED). *Diabetes Obes Metab*. 2018 Jun 12. doi: 10.1111/dom.13419. [Epub ahead of print]
2. Bowman P, Sulen Å, Barbetti F, Beltrand J, Svalastoga P, Codner E, Tessmann EH, Juliusson PB, Skriverhaug T, Pearson ER, Flanagan SE, Babiker T, Thomas NJ, Shepherd MH, Ellard S, Klimes I, Szopa M, Polak M, Iafusco D, Hattersley AT, Njølstad PR; Neonatal Diabetes International Collaborative Group. Effectiveness and safety of long-term treatment with sulfonylureas in patients with neonatal diabetes due to KCNJ11 mutations: an international cohort study. *Lancet Diabetes Endocrinol*. 2018 Jun 4. pii: S2213-8587(18)30106-2. doi: 10.1016/S2213-8587(18)30106-2. [Epub ahead of print]
3. Cherubini V, Skrami E, Ferrito L, Zucchini S, Scaramuzza A, Bonfanti R, Buono P, Cardella F, Cauvin V, Chiari G, D'Annunzio G, Frongia AP, Iafusco D, Patera IP, Toni S, Tumini S, Rabbone I, Lombardo F, Carle F, Gesuita R; Diabetes Study Group of the Italian Society for Pediatric Endocrinology and Diabetology (ISPED). High frequency of diabetic ketoacidosis at diagnosis of type 1 diabetes in Italian children: a nationwide longitudinal study, 2004-2013. *Sci Rep*. 2016 Dec 19;6:38844.
4. Rabbone I, Minuto N, Bonfanti R, Marigliano M, Cerutti F, Cherubini V, d'Annunzio G, Frongia AP, Iafusco D, Ignaccolo G, Lombardo F, Schiaffini R, Toni S, Tumini S, Zucchini S, Pistorio A, Scaramuzza AE; Italian Paediatric Pump Failure Study Group. Insulin pump failures in Italian children with Type 1 diabetes: retrospective 1-year cohort study. *Diabet Med*. 2017 May;34(5):621-624..
5. Gesuita R, Skrami E, Bonfanti R, Cipriano P, Ferrito L, Frongia P, Iafusco D, Iannilli A, Lombardo F, Mozzillo E, Paleari R, Rabbone I, Sabbion A, Salvatoni A, Scaramuzza A, Schiaffini R, Sulli N, Toni S, Carle F, Cherubini V. The role of socio-economic and clinical factors on HbA1c in children and adolescents with type 1 diabetes: an Italian multicentre survey. *Pediatr Diabetes*. 2017 May;18(3):241-248.
6. Zucchini S, Scaramuzza AE, Bonfanti R, Buono P, Cardella F, Cauvin V, Cherubini V, Chiari G, d'Annunzio G, Frongia AP, Iafusco D, Maltoni G, Patera IP, Toni S, Tumini S, Rabbone I; Diabetes Study Group of The Italian Society For Pediatric Endocrinology And Diabetology. A Multicenter Retrospective Survey regarding Diabetic Ketoacidosis Management in Italian Children with Type 1 Diabetes. *J Diabetes Res*. 2016;2016:5719470.
7. Giorgetti C, Ferrito L, Zallocco F, Iannilli A, Cherubini V; Study Group for Diabetes of ISPED. Organization and regional distribution of centers for the management of children and adolescents with diabetes in Italy. *Ital J Pediatr*. 2015 Oct 8;41:74. Erratum in: *Ital J Pediatr*. 2016;42:33.
8. Scaramuzza A, Cherubini V, Tumini S, Bonfanti R, Buono P, Cardella F, d'Annunzio G, Frongia AP, Lombardo F, Monciotti AC, Rabbone I, Schiaffini R, Toni S, Zucchini S, Frontino G, Iafusco D; Diabetes Study Group of the Italian Society for Pediatric

Endocrinology and Diabetology. Recommendations for self-monitoring in pediatric diabetes: a consensus statement by the ISPED. *Acta Diabetol.* 2014 Apr;51(2):173-84.

9. Cadario F, Cerutti F, Savastio S, Rabbone I, Tumini S, Bruno G; Italian Society of Pediatric Endocrinology and Diabetology Study Group (SIEDP). Increasing burden, younger age at onset and worst metabolic control in migrant than in Italian children with type 1 diabetes: an emerging problem in pediatric clinics. *Acta Diabetol.* 2014 Apr;51(2):263-7.
10. Salardi S, Maltoni G, Zucchini S, Iafusco D, Zanfardino A, Confetto S, Toni S, Zioutas M, Marigliano M, Cauvin V, Franceschi R, Rabbone I, Predieri B, Schiaffini R, Salvatoni A; Diabetes Study Group of the Italian Society of Pediatric Endocrinology and Diabetology (ISPED). Whole lipid profile and not only HDL cholesterol is impaired in children with coexisting type 1 diabetes and untreated celiac disease. *Acta Diabetol.* 2017 Oct;54(10):889-894.
11. Delvecchio M, Mozzillo E, Salzano G, Iafusco D, Frontino G, Patera PI, Rabbone I, Cherubini V, Grasso V, Tinto N, Giglio S, Contreas G, Di Paola R, Salina A, Cauvin V, Tumini S, d'Annunzio G, Iughetti L, Mantovani V, Maltoni G, Toni S, Marigliano M, Barbetti F; Diabetes Study Group of the Italian Society of Pediatric Endocrinology and Diabetology (ISPED). Monogenic Diabetes Accounts for 6.3% of Cases Referred to 15 Italian Pediatric Diabetes Centers During 2007 to 2012. *J Clin Endocrinol Metab.* 2017 Jun 1;102(6):1826-1834.
12. Salardi S, Maltoni G, Zucchini S, Iafusco D, Confetto S, Zanfardino A, Toni S, Piccini B, Zioutas M, Marigliano M, Cauvin V, Franceschi R, Rabbone I, Predieri B, Schiaffini R, Salvatoni A, Reinstadler P, Berioli G, Cherubini V, d'Annunzio G; Diabetes Study Group of the Italian Society of Pediatric Endocrinology and Diabetology (ISPED). Celiac Disease Negatively Influences Lipid Profiles in Young Children With Type 1 Diabetes: Effect of the Gluten-Free Diet. *Diabetes Care.* 2016 Aug;39(8):e119-20.
13. Iafusco D, Salardi S, Chiari G, Toni S, Rabbone I, Pesavento R, Pasquino B, de Benedictis A, Maltoni G, Colombo C, Russo L, Massa O, Sudano M, Cadario F, Porta M, Barbetti F; Early Onset Diabetes Study Group of the Italian Society of Pediatric Endocrinology and Diabetology (ISPED). No sign of proliferative retinopathy in 15 patients with permanent neonatal diabetes with a median diabetes duration of 24 years. *Diabetes Care.* 2014 Aug;37(8):e181-2
14. Valerio G, Maffei C, Zucchini S, Lombardo F, Toni S, Rabbone I, Federico G, Scaramuzza A, Franzese A, Cherubini V, Zedda MA, Calcaterra V, Lera R, Cardinale G, Bruzzese M, Iughetti L, Gallo F, De Donno V, De Berardinis F, Iafusco D. Geographic variation in the frequency of abdominal adiposity and metabolic syndrome in Italian adolescents with type 1 diabetes. *Acta Diabetol.* 2014 Feb;51(1):163-5.
15. Bonfanti R, Lepore G, Bozzetto L, Corsi A, Di Blasi V, Girelli A, Grassi G, Iafusco D, Rabbone I, Schiaffini R, Laviola L, Bruttomesso D; Italian Study Group on Diffusion of CSII in Italy. Survey on the use of insulin pumps in Italy: comparison between pediatric and adult age groups (IMITA study). *Acta Diabetol.* 2016 Jun;53(3):403-12.
16. Vichi M, Iafusco D, Galderisi A, Stazi MA, Nisticò L. An easy, fast, effective tool to monitor the incidence of type 1 diabetes among children aged 0-4 years in Italy: the Italian Hospital Discharge Registry (IHDR). *Acta Diabetol.* 2014 Apr;51(2):287-94.

17. V, Pintaudi B, Rossi MC, Lucisano G, Pellegrini F, Chiumello G, Frongia AP, Monciotti C, Patera IP, Toni S, Zucchini S, Nicolucci A; SHIP-D Study Group. Severe hypoglycemia and ketoacidosis over one year in Italian pediatric population with type 1 diabetes mellitus: a multicenter retrospective observational study. *Cherubini Nutr Metab Cardiovasc Dis*. 2014 May;24(5):538-46.
18. Pinelli M, Acquaviva F, Barbetti F, Caredda E, Cocozza S, Delvecchio M, Mozzillo E, Pirozzi D, Prisco F, Rabbone I, Sacchetti L, Tinto N, Toni S, Zucchini S, Iafusco D; Italian Study Group on Diabetes of the Italian Society of Pediatric Endocrinology and Diabetology. Identification of candidate children for maturity-onset diabetes of the young type 2 (MODY2) gene testing: a seven-item clinical flowchart (7-iF). *PLoS One*. 2013 Nov 11;8(11):e79933.

MALATTIE ENDOCRINE DA ALTERATA FUNZIONE DELLA PROTEINA GS-ALFA

1. Messina MF, Aversa T, de Sanctis L, Wasniewska M, Valenzise M, Pajno GB, De Luca F, Lombardo F. Adult height following a combined treatment of ketoconazole - cyproterone acetate - leuprolide depot in a boy with atypical McCune-Albright syndrome. *Hormones (Athens)*. 2015 Apr-Jun;14(2):286-92
2. de Sanctis L, Giachero F, Mantovani G, Weber G, Salerno M, Baroncelli GI, Elli MF, Matarazzo P, Wasniewska M, Mazzanti L, Scire G, Tessaris D and On behalf of the Study Group Endocrine diseases due to altered function of Gs α protein of the Italian Society of Pediatric Endocrinology and Diabetology (ISPED). Genetic and epigenetic alterations in the GNAS locus and clinical consequences in Pseudohypoparathyroidism: Italian common healthcare pathways adoption. *Italian Journal of Pediatrics* (2016) 42:101-13
3. de Sanctis L, Galliano I, Montanari P, Matarazzo P, Tessaris D, Bergallo M. Combined Real-time COLD- and MAMA-PCR TaqMan techniques to detect and quantify R201 GNAS mutations in the McCune Albright syndrome *Horm Res Pediatr*, 2017; 87(5):342-349.
4. Tessaris D, Boyce AM, Zacharin M, Matarazzo P, Laa R, e Sanctis L, Collins MT. Growth hormone-Insulin-like growth factor 1 axis hyperactivity on bone fibrous dysplasia in McCune-Albright Syndrome. *Clin Endocrinol (Oxf)*. 2018 Jul;89(1):56-64.
5. Domenico Corica, Tommaso Aversa, Giorgia Pepe, Filippo De Luca, Malgorzata Wasniewska. Peculiarities of precocious puberty in boys and girls with McCune-Albright Syndrome. *Frontiers in Endocrinology*, 2018, in press

SINDROME DI TURNER

1. Gravholt CH, Andersen NH, Conway GS, Dekkers OM, Geffner ME, Klein KO, Lin AE, Mauras N, Quigley CA, Rubin K, Sandberg DE, Sas TCJ, Silberbach M, Söderström Anttila V, Stochholm K, van Alfen-van derVelden JA, Woelfle J, Backeljauw PF; International Turner Syndrome Consensus Group. Clinical practice guidelines for the care of girls and women with Turner syndrome: proceedings from the 2016 Cincinnati International Turner Syndrome Meeting. *Eur J Endocrinol*. 2017 Sep;177(3):G1-G70.
2. Baronio F, Mazzanti L, Girtler Y, Tamburrino F, Lupi F, Longhi S, Fanolla A, Radetti G. The Influence of GH Treatment on Glucose Homeostasis in Girls With Turner Syndrome: A 7-Year Study. *J Clin Endocrinol Metab*. 2017 Mar 1;102(3):878-883.
3. Radetti G, Mazzanti L, Di Somma C, Salerno M, Gottardi E, Capalbo D, Tamburrino F, Colao A. Evaluation of function and structure of arterial wall in girls and young women with Turner syndrome. *J Endocrinol Invest*. 2015 Sep;38(9):963-70.
4. Wasniewska M, Aversa T, Mazzanti L, Guarneri MP, Matarazzo P, De Luca F, Lombardo F, Messina MF, Valenzise M. Adult height in girls with Turner syndrome treated from before 6 years of age with a fixed per kilogram GH dose. *Eur J Endocrinol*. 2013 Sep 13;169(4):439-43.